


Amendments to the claims:

Please amend the claims as indicated below. This listing of claims replaces all earlier versions of the claims in the application:

1. (Currently amended) A compound of the formula I,



in which:

R(1) is C(O)OR(9) or C(O)NR(12)R(13);

R(9) is C_xH_{2x}-R(14);

x is 0, 1, 2, 3 or 4,

where x cannot be 0 if R(14) is OR(15);

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, OR(15) or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2 or 3 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(15) is ~~alkyl having 1 or 2 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F,

Cl, Br, CF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2 or 3 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(12) is defined as R(9);

R(13) is hydrogen;

R(2) is hydrogen, alkyl having 1, 2, 3 or 4 carbon atoms or CF₃;

R(3) is C_yH_{2y}-R(16);

y is 0, 1, 2, 3 or 4,

where y cannot be 0 if R(16) is OR(17) or SO₂Me;

R(16) is alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms, cycloalkyl having 3, 4, 5, 6, 7, 8, 9, 10 or 11 carbon atoms, CF₃, C₂F₅, C₃F₇, CH₂F, CHF₂, OR(17), SO₂Me, phenyl or naphthyl,

where phenyl and naphthyl are unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, I, CF₃, OCF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(17) is hydrogen, alkyl having 1, 2, 3, 4 or 5 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, I, CF₃, OCF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

or

R(3) is CHR(18)R(19);

R(18) is hydrogen or C_zH_{2z}-R(16), where R(16) is defined as indicated above;

z is 0, 1, 2 or 3;

R(19) is COOH, CONH₂, CONR(20)R(21), COOR(22) or CH₂OH;

R(20) is hydrogen, alkyl having 1, 2, 3, 4 or 5 carbon atoms, C_vH_{2v}-CF₃ or C_wH_{2w}-phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, I, CF₃, OCF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

v is 0, 1, 2 or 3;

w is 0, 1, 2 or 3;

R(21) is hydrogen or alkyl having 1, 2, 3, 4 or 5 carbon atoms;

R(22) is alkyl having 1, 2, 3, 4 or 5 carbon atoms;

R(4) is hydrogen, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms or CF₃;

R(5), R(6), R(7) and R(8)

independently of one another are hydrogen, F, Cl, Br, I, CF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl or methylsulfonylamino; and

R(30) and R(31)

independently of one another are hydrogen or alkyl having 1, 2 or 3 carbon atoms; or a pharmaceutically acceptable salt thereof.

2. (Currently amended) A compound as claimed in claim 1, in which

R(1) is C(O)OR(9) or C(O)NR(12)R(13);

R(9) is C_xH_{2x}-R(14);

x is 0, 1, 2, 3 or 4,

where x cannot be 0 if R(14) is OR(15);

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, OR(15) or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2 or 3 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(15) is ~~alkyl having 1 or 2 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2 or 3 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(12) is defined as R(9);

R(13) is hydrogen;

R(2) is hydrogen, alkyl having 1, 2, 3 or 4 carbon atoms or CF₃;

R(3) is C_yH_{2y}-R(16);

y is 0, 1, 2, 3 or 4,

where y cannot be 0 if R(16) is OR(17);

R(16) is alkyl having 1, 2, 3 or 4 carbon atoms, cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, C₂F₅, OR(17) or phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(17) is alkyl having 1, 2, 3, 4 or 5 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, NO₂, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

or

R(3) is CHR(18)R(19);

R(18) is hydrogen or C_zH_{2z}-R(16), where R(16) is defined as indicated in claim 1 above;

z is 0, 1, 2 or 3;

R(19) is CONH₂, CONR(20)R(21), COOR(22) or CH₂OH;

R(20) is hydrogen, alkyl having 1, 2, 3, 4 or 5 carbon atoms, C_vH_{2v}-CF₃ or C_wH_{2w}-phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

v is 0, 1, 2 or 3;

w is 0, 1, 2 or 3;

R(21) is hydrogen or alkyl having 1, 2, 3, 4 or 5 carbon atoms;

R(22) is alkyl having 1, 2, 3, 4 or 5 carbon atoms;

R(4) is hydrogen, alkyl having 1, 2, 3, 4, 5 or 6 carbon atoms or CF₃; and

R(5), R(6), R(7) and R(8)

independently of one another are hydrogen, F, Cl, Br, CF₃, NO₂, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl or methylsulfonylamino; and

R(30) and R(31)

independently of one another are hydrogen or alkyl having 1, 2 or 3 carbon atoms.

3. (Currently amended) A compound as claimed in claim 2, in which:

R(1) is C(O)OR(9) or C(O)NR(12)R(13);

R(9) is C_xH_{2x} -R(14);

x is 0, 1, 2, 3 or 4,

where x cannot be 0 if R(14) is OR(15);

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, OR(15) or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(15) is ~~alkyl having 1 or 2 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(12) is defined as R(9);

R(13) is hydrogen;

R(2) is hydrogen or alkyl having 1, 2 or 3 carbon atoms;

R(3) is CHR(18)R(19);

R(18) is hydrogen or C_zH_{2z} -R(16);

z is 0, 1, 2 or 3;

R(19) is CONH₂, CONR(20)R(21), COOR(22) or CH₂OH;

R(20) is hydrogen, alkyl having 1, 2, 3, 4 or 5 carbon atoms, $C_vH_{2v}-CF_3$ or C_wH_{2w} -phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF_3 , OCF_3 , CN, COOMe, $CONH_2$, COMe, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

v is 0, 1, 2 or 3;

w is 0, 1, 2 or 3;

R(21) is hydrogen or alkyl having 1, 2, 3, 4 or 5 carbon atoms;

R(22) is alkyl having 1, 2, 3, 4 or 5 carbon atoms;

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF_3 , OR(17) or phenyl,

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF_3 , OCF_3 , CN, COOMe, $CONH_2$, COMe, NH_2 , OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(17) is alkyl having 1, 2, 3 or 4 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF_3 or phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF_3 , OCF_3 , CN, COOMe, $CONH_2$, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(4) is hydrogen or alkyl having 1 or 2 carbon atoms; and

R(5), R(6), R(7) and R(8)

independently of one another are hydrogen, F, Cl, Br, CF₃, CN, COOMe, CONH₂, COMe, NH₂, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl or methylsulfonylamino; and

R(30) and R(31)

independently of one another are hydrogen or methyl.

4. (Currently amended) A compound as claimed in claim 2, in which:

R(1) is C(O)OR(9) or C(O)NR(12)R(13);

R(9) is C_xH_{2x}-R(14);

x is 0, 1, 2, 3 or 4,

where x cannot be 0 if R(14) is OR(15);

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, OR(15) or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, OCF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(15) is ~~alkyl having 1 or 2 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(12) is defined as R(9);

R(13) is hydrogen;

R(2) is hydrogen or alkyl having 1, 2 or 3 carbon atoms;

R(3) is $C_yH_{2y}-R(16)$;

y is 0, 1, 2, 3 or 4,

where y cannot be 0 if R(16) is OR(17);

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF_3 , OR(17) or phenyl,

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF_3 , OCF_3 , CN, $COOMe$, $CONH_2$, $COMe$, NH_2 , OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(17) is alkyl having 1, 2, 3, 4 or 5 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF_3 or phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF_3 , OCF_3 , NO_2 , CN, $COOMe$, $CONH_2$, $COMe$, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(4) is hydrogen or alkyl having 1 or 2 carbon atoms;

R(5), R(6), R(7) and R(8)

independently of one another are hydrogen, F, Cl, Br, CF_3 , CN, $COOMe$, $CONH_2$, $COMe$, NH_2 , OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl or methylsulfonylamino; and

R(30) and R(31)

independently of one another are hydrogen or methyl.

5. (Currently amended) A compound as claimed in claim 4, in which:

R(1) is $C(O)OR(9)$ or $C(O)NR(12)R(13)$;

R(9) is $C_xH_{2x}-R(14)$;

x is 0, 1, 2 or 3;

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃ or phenyl,~~
 where phenyl is unsubstituted or substituted by 1 or 2
 substituents selected from the group consisting of F, Cl, CF₃,
 OCF₃, OH, alkyl having 1, 2 or 3 carbon atoms and alkoxy
 having 1 or 2 carbon atoms;

R(12) is defined as R(9);

R(13) is hydrogen;

R(2) is hydrogen;

R(3) is C_yH_{2y}-R(16);

y is 0, 1 or 2;

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 5 or 6 carbon atoms,
 CF₃ or phenyl,

where phenyl is unsubstituted or substituted by 1 or 2 substituents
 selected from the group consisting of F, Cl, CF₃, OCF₃, OH, alkyl
 having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms;

R(4) is hydrogen; and

R(5), R(6), R(7) and R(8)

independently of one another are hydrogen, F, CF₃, CN, COOMe, CONH₂, NH₂, OH,
 alkyl having 1, 2 or 3 carbon atoms or alkoxy having 1 or 2 carbon atoms; and

R(30) and R(31)

independently of one another are hydrogen or methyl.

6. (Currently amended) A compound as claimed in claim 5, in which:

R(1) is C(O)OR(9);

R(9) is C_xH_{2x}-R(14);

x is 0, 1, 2 or 3;

R(14) is ~~cycloalkyl having 5 or 6 carbon atoms or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2
 substituents selected from the group consisting of F, Cl, CF₃,

OCF₃, alkyl having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms;

R(2) is hydrogen;

R(3) is C_yH_{2y}-R(16);

y is 0, 1 or 2;

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 5 or 6 carbon atoms, CF₃ or phenyl

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, CF₃, OCF₃, alkyl having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms;

R(4) is hydrogen; and

R(5), R(6), R(7) and R(8)

independently of one another are hydrogen, F, CF₃, alkyl having 1, 2 or 3 carbon atoms or alkoxy having 1 or 2 carbon atoms; and

R(30) and R(31)

are hydrogen.

7 -22. (Canceled)

23. (Currently amended) A compound as claimed in claim 4, in which:

R(30) and R(31) are both hydrogen;

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, OR(15) or phenyl~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino;

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃, OR(17) or phenyl,

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, Br, CF₃, CN, COOMe, CONH₂, COMe,

NH₂, OH, alkyl having 1, 2 or 3 carbon atoms, alkoxy having 1 or 2 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino; and

R(17) is alkyl having 1, 2, 3, 4 or 5 carbon atoms, cycloalkyl having 3, 4, 5 or 6 carbon atoms, CF₃ or phenyl,

where phenyl is unsubstituted or substituted by 1, 2 or 3 substituents selected from the group consisting of F, Cl, Br, CF₃, NO₂, CN, COOMe, CONH₂, COMe, OH, alkyl having 1, 2, 3 or 4 carbon atoms, alkoxy having 1, 2, 3 or 4 carbon atoms, dimethylamino, sulfamoyl, methylsulfonyl and methylsulfonylamino.

24. (Currently amended) A compound as claimed in claim 5, in which:

R(30) and R(31) are both hydrogen;

R(14) is ~~cycloalkyl having 3, 4, 5, 6, 7, 8 or 9 carbon atoms, CF₃ or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, CF₃, OH, alkyl having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms; and

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 5 or 6 carbon atoms, CF₃ or phenyl,

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, CF₃, OH, alkyl having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms.

25. (Currently amended) A compound as claimed in claim 6, in which:

R(14) is ~~cycloalkyl having 5 or 6 carbon atoms or phenyl,~~

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, CF₃, alkyl having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms; and

R(16) is alkyl having 1, 2 or 3 carbon atoms, cycloalkyl having 5 or 6 carbon atoms, CF₃ or phenyl,

where phenyl is unsubstituted or substituted by 1 or 2 substituents selected from the group consisting of F, Cl, CF₃, alkyl having 1, 2 or 3 carbon atoms and alkoxy having 1 or 2 carbon atoms.

26. (Canceled)